



## Contents

## Information for Contributors

vii

## Regular papers

The antiproliferative effect of hexadecylphosphocholine toward HL60 cells is prevented by exogenous lysophosphatidylcholine

K. Boggs, C.O. Rock and S. Jackowski (USA)

1

Permeability of lipid bilayer to anthracycline derivatives. Role of the bilayer composition and of the temperature

F. Frézard and A. Garnier-Suillerot (France)

13

Induction of 12-lipoxygenase expression by phorbol 12-myristate 13-acetate in human epidermoid carcinoma A431 cells

Y.-W. Liaw, Y.-W. Liu, B.-K. Chen and W.-C. Chang (Taiwan)

23

Cloning of the *Bacillus firmus* OF4 *cls* gene and characterization of its gene product

D. Guo and B.E. Tropp (USA)

34

Occurrence of monoacyl-diglucosyl-diacyl-glycerol and monoacyl-bis-glycerophosphoryl-diglucosyl-diacyl-glycerol in membranes of *Acholeplasma laidlawii* strain B-PG9

A.-S. Andersson, L. Rilfors, R.N.A.H. Lewis, R.N. McElhaney and G. Lindblom (Sweden, Canada)

43

Antibodies to long-chain acyl-CoAs. A new tool for lipid biochemistry

L. Maneta-Peyret, B. Sturbois-Balcerzak, C. Casagne and P. Moreau (France)

50

## Subsection

## Regular papers

Different substrate utilization between prostaglandin endoperoxide H synthase-1 and -2 in NIH3T3 fibroblasts

M. Shitashige, I. Morita and S.-i. Murota (Japan)

57

Positive and negative controls by protein kinases of sodium-dependent  $\text{Ca}^{2+}$  efflux from cultured bovine adrenal chromaffin cells stimulated by lysophosphatidic acid

A. Tokumura, M. Okuno, K. Fukuzawa, H. Houchi, K. Tsuchiya and M. Oka (Japan)

67

Localization of two forms of phospholipase C- $\beta$ 1, a and b, in C6Bu-1 cells

Y.Y. Bahk, H. Song, S.H. Baek, B.Y. Park, H. Kim, S.H. Ryu and P.-G. Suh (South Korea)

76

## Information for Contributors

vii

## Regular papers

Isoorientin-6''-O-glucoside, a water-soluble antioxidant isolated from *Gentiana arisanensis*

F.N. Ko, C.C. Chu, C.N. Lin, C.C. Chang and C.-M. Teng (Taiwan)

81

The C-terminus of phosphatidylinositol transfer protein modulates membrane interactions and transfer activity but not phospholipid binding

J.M. Tremblay, P.A. Voziyan, G.M. Helmkamp Jr. and L.R. Yarbrough (USA)

91

Bioactive long chain *N*-acylethanolamines in five species of edible bivalve molluscs. Possible implications for mollusc physiology and sea food industry

N. Sepe, L. De Petrocellis, F. Montanaro, G. Cimino and V. Di Marzo (Italy)

101

Degradation of low density lipoprotein cholesterol esters by lysosomal lipase in vitro. Effect of core physical state and basis of species selectivity

S. Lusa and P. Somerharju (Finland)

112

Inhibition of lipases from *Chromobacterium viscosum* and *Rhizopus oryzae* by tetrahydrolipstatin

A.P. Potthoff, L. Haalck and F. Spener (Germany)

123

Dihydroheptaprenyl and dihydrodecaprenyl monophosphates induce apoptosis mediated by activation of caspase-3-like protease

E. Yasugi, K. Nakata, Y. Yokoyama, K. Kano, T. Dohi and M. Oshima (Japan)

132

A marked stimulation of  $\text{Fe}^{2+}$ -initiated lipid peroxidation in phospholipid liposomes by a lipophilic aluminum complex, aluminum acetylacetonate

T. Ohyashiki, S. Suzuki, E. Satoh and Y. Uemori (Japan)

141

Rabbit liver contains one major sterol 12 $\alpha$ -hydroxylase with broad substrate specificity <i>U. Andersson, G. Eggertsen and I. Björkhem (Sweden)</i>	150	Age-related changes in the activation of aortic cholesteryl ester hydrolases by protein kinases in rats <i>F. Maehira, K. Harada, J. Shimoji, I. Miyagi and M. Nakano (Japan)</i>	197
Kinetic analysis of copper-induced peroxidation of LDL <i>I. Pinchuk, E. Schnitzer and D. Lichtenberg (Israel)</i>	155	Cyclosporin A inhibits oxidant and calcium stimulated phospholipase D activity in the rat intestinal mitochondria <i>M. Madesh and K.A. Balasubramanian (India)</i>	206
<i>Information for Contributors</i>	vii	Hepatic responses to inhibition of 3-hydroxy-3-methylglutaryl-CoA reductase: a comparison of atorvastatin and simvastatin <i>J.D. Bergstrom, R.G. Bostedor, D.J. Rew, W.M. Geissler, S.D. Wright and Y.-S. Chao (USA)</i>	213
<i>Rapid report</i>		<i>Subsection</i>	
Increased mRNA expression of phospholipase D (PLD) isozymes during granulocytic differentiation of HL60 cells <i>S. Nakashima, K. Ohguchi, M.A. Frohman and Y. Nozawa (Japan, USA)</i>	173	<i>Review</i>	
<i>Short sequence-paper</i>		Phospholipid signalling in plants <i>T. Munnik, R.F. Irvine and A. Musgrave (The Netherlands, UK)</i>	222
Molecular cloning of rat uncoupling protein 2 cDNA and its expression in genetically obese Zucker fatty (fa/fa) rats <i>S. Hidaka, T. Kakuma, H. Yoshimatsu, S. Yasunaga, M. Kurokawa and T. Sakata (Japan)</i>	178	<i>Regular paper</i>	
<i>Regular papers</i>		Secretory and cytosolic phospholipases A <sub>2</sub> are activated during TNF priming of human neutrophils <i>M.C. Seeds, D.F. Jones, F.H. Chilton and D.A. Bass (USA)</i>	273
Characteristics of leukotriene biosynthesis by human granulocytes in presence of plasma <i>R. Palmantier, H. Rocheleau, M. Laviolette, J. Mancini and P. Borgeat (Canada)</i>	187	<i>Cumulative contents</i>	285
		<i>Author Index</i>	287

